



Modern Research Labs  
https://modernresearchlabs.co

SAMPLE NAME:  
SAMPLE CODE:  
RECEIVED DATE:  
PUBLISHED DATE:

SEMAX  
75Y3-STQD  
05/04/2026  
07/09/2026



|                   |         |
|-------------------|---------|
| DECLARED IDENTITY | Semax   |
| MATRIX TYPE:      | PEPTIDE |
| SAMPLE NAME:      | SEMAX   |
| SAMPLE SIZE:      | 30.0 mg |
| LOT CODE:         | 1220    |




**33.45 mg**  
Total Quantity



**99.57%**  
Total Blend Purity

| Sample | Test     | Specification | Result   | Status   |
|--------|----------|---------------|----------|----------|
| Semax  | IDENTITY | Semax         | Semax    | CONFORMS |
| Semax  | QUANTITY | MEASURE       | 33.45 mg | MEASURED |
| Semax  | PURITY   | > 98.0%       | 99.57%   | CONFORMS |

## HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD  
Lab Manager  
07/09/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD  
Lab Director  
07/09/2026

ACCUMARKLABS.COM  
75Y3-STQD  
07/09/2026

